

WISEASY P5L SSK

Self-Service Payment Kit



High performance, large memory

Equipped with a quad-core 4G processor, equipped with 2GB LPDDR4 + 32GB eMMC large memory, to bring you a smooth and efficient operating experience.



Accepts multiple payment methods, offering you versatility in choice

Supports multiple payment types, including QR codes, credit cards, NFC payment, and various e-wallets.



Experience ultimate durability and protection

The P5L SSK is designed to seamlessly integrate into diverse Self-Service payment scenarios. Its advanced IP64-level protection, ensures it remains resistant to water and dust. Encompassing a sturdy shell and a 2.0mm thick screen protected by 'Corning' glass, the P5L SSK has passed the IK08 impact resistance test demonstrating its high durability.



Faster, frictionless checkouts with NFC

It's 5.5-inch high-definition full screen with a resolution up to 1280x720, offers users an enhanced visual experience, while supporting NFC payment for faster, frictionless checkouts




A wide array of connectivity options, for diverse scenarios

Whether you're streamlining your point-of-sale system, enhancing your operational infrastructure, or simply expanding your connectivity, the P5L SSK adapts to your business, allowing for smoother, more efficient operations.



Designed for a wide range of unattended retail scenarios

From charging stations and vending machines to kiosks—our solution ensures that your services are accessible, convenient, and user-friendly.



Technical Specifications



Processor

Quad-core A53@2.0GHz



Operating system

Android 11



Memory

2GB LPDDR4 + 32GB eMMC



Display

5.5" 720x1280 IPS capacitive multi-touch



Camera

2M FF front camera



NFC

ISO14443 A/B and Mifare



GPS

GPS/A-GPS, Glonass, Beidou



Ports

MDB slave, 2*RS232 in RJ45
1*Ethernet in RJ45



USB port

USB Host type-A
USB Debug type-C



SIM

SIM slot x 2



Speaker

1*1W



Power

12-48V via MDB port,
9-18V via DC Jack



Connectivity

4G/3G/2G, dual band WiFi 802.11
b/g/n/ac, Bluetooth 5.0,
100Mbps Ethernet



Dimension

108 x 185 x 77mm



Environment

Operation temperature:
-20°C to 60°C
Storage temperature:
-20°C to 70°C



Certification

CE, FCC